

STAX **X** **SPEARS**

Hand Pallet Truck



ABOUT US

Staxx Spears MHE an ISO 9001: 2015 Certified company is an Indo-Chinese joint venture founded in 2018. Both the Joint Venture companies have years of experience in product and industry.

Staxx MHE is an Electric Powered Pallet truck and Pallet Stacker manufacturer and Hand Pallet Truck supplier which has focus on warehousing equipment manufacturing since 2012.

Spears Supply is a professional Manufacturing enterprise in India, production range covering Agricultural Machinery parts and Attachments, Mechanical parts since 1964.


The core management team of the Joint Venture is formed by selected employees from Staxx and Spears, building a strong background of techniques, manufacturing, sales and service for STAXX SPEARS MHE PRIVATE LIMITED. The objective of the company is to provide a solution of high quality and cost-effective hand pallet trucks to customers.

MAIN MARKET

With a wide sales coverage in Europe and Northern America, Staxx Spears products have gained high recognition by customers over the years. The team has years expertise and experience in production & personnel management, quality control and product improvement.

EU countries and domestic India market are the main market for STAXX SPEARS MHE PRIVATE LIMITED. There is no anti-dumping duty and 0% tariff for hand pallet truck originating from India to EU, which makes it one of the best choices for EU partners.

The Quality and Durability of our Indian manufactured Hand Pallet Truck is gaining positive and appreciative recognition by end users and distributors with increased deliveries into the EU markets.



STANDARD MODEL

MODEL	HPT25		
FEATURE			
1.1	Capacity	Kg	2500 / 3000
1.2	Pump Type		Integrated Pump
WHEEL			
2.1	Wheel Size - Rear (Nylon/Pu/Rubber)	mm	200 x 50
2.2	Wheel Size - Single Front (Nylon/Pu)	mm	80 x 90
DIMENSIONS			
3.1	Lifting Height	mm	115
3.2	Height of Handle	mm	1230
3.3	Max. Fork Lifting Height	mm	200
3.4	Lowered Height Of Fork	mm	85
3.5	Fork Outside Distance	mm	540
3.6	Fork Length	mm	1150
3.7	Fork Width	mm	160

HOT DIP GALVANISED MODEL

MODEL	HPT25G		
FEATURE			
1.1	Capacity	Kg	2500 / 3000
1.2	Pump Type		Integrated Pump
WHEEL			
2.1	Wheel Size - Rear (Nylon/Pu/Rubber)	mm	200 x 50
2.2	Wheel Size - Single Front (Nylon/Pu)	mm	80 x 90
DIMENSIONS			
3.1	Lifting Height	mm	115
3.2	Height of Handle	mm	1230
3.3	Max. Fork Lifting Height	mm	200
3.4	Lowered Height Of Fork	mm	85
3.5	Fork Outside Distance	mm	540
3.6	Fork Length	mm	1150
3.7	Fork Width	mm	160

SHORT FORKS

MODEL	HPT25		
FEATURE			
1.1	Capacity	Kg	2500
1.2	Pump Type	Integrated Pump	
WHEEL			
2.1	Wheel Size - Rear (Nylon/Pu/Rubber)	mm	200 x 50
2.2	Wheel Size - Single Front (Nylon/Pu)	mm	80 x 90
DIMENSIONS			
3.1	Lifting Height	mm	115
3.2	Height of Handle	mm	1230
3.3	Max. Fork Lifting Height	mm	200
3.4	Lowered Height Of Fork	mm	85
3.5	Fork Outside Distance	mm	540
3.6	Fork Length	mm	800 to 1500
3.7	Fork Width	mm	160



STAXX SPEARS

STAXX SPEARS MHE PVT. LTD.
 347 E, Ecotech - III, Noida,
 Gautam Buddha Nagar, Uttar Pradesh, 201306

E-mail : info@staxxspearsmhe.com

URL : www.staxxspearsmhe.com